

InVict™

insect paste



Kills Roaches • Kills Silverfish • Kills Common Ants Listed
Starts Working Immediately
Kills the Queen and the Colony
Contains Sweet, Oil and Protein
Contains No Peanut Products
Contains Abamectin, Derived from Soil Microbes

Active Ingredient: Abamectin B1...0.05%
Other Ingredients:.....99.95%
Total:.....100.00%

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow bait to enter or run off into storm drains, drainage ditches, gutters or surface waters.

First Aid

If in Eyes: -Hold eye open and rinse slowly and gently with water for 15-20 minutes.
-Remove contact lenses, if present, after the first five minutes, then continue rinsing.
-Call a poison control center or doctor for treatment advice.
-Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call 800-858-7378.

EPA Reg. No.: 73079-11

EPA Est. No. 73079-MO-1

Net Contents: 5 x 35 g (1.25 oz), Single 300 g Syringe

KEEP OUT OF REACH OF CHILDREN CAUTION

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Kills Acrobat, allegheny, Argentine, big-headed, cornfield, crazy, ghost, little black, odorous house, pavement, pharaoh, pyramid, thief and white-footed ants.

Use Sites: In and around structures, including, but not limited to, homes, apartments, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal research facilities, and food service, storage, handling and processing establishments.

Indoor Use

Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait so it is out of reach of children and pets. Apply bait only in cracks, crevices, voids, other inaccessible areas, and non-exposed surfaces such as the undersides of furniture and fixtures and under or behind appliances. If bait contacts exposed surfaces, remove bait and wash exposed surfaces. Do not contaminate food or feed. Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Do not apply bait on hot surfaces or other areas where the temperature may exceed 130 °F as the bait could melt and drip.

Roaches: Apply bait in small spots about 1/4" (pea-sized) in diameter (about 0.5g). For most roach infestations, apply 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in walls voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots. Bait may also be applied in tamper-resistant bait stations. Apply about 1 gram (3/8" size spot) in each station. Place 1-3 stations per 100 square feet in out of the way places where roaches may hide.

Look for areas where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from walls, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators, ice machines and walk-in coolers, tubs, toilets, drain openings, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

Silverfish: Apply in 0.5g (pea-sized) spots as for roaches. Apply 5-10 spots per 100 square feet. Bait areas where silverfish are seen, such as bathrooms, around bookcases, stacks of papers, or peeling wallpaper and cracks between the living space and the attic, such as around light fixtures. Inspect bait after 2-4 weeks and reapply if bait is almost entirely consumed.

Ants: Apply bait in thin (1/4" wide) lines, about 1" long in areas where ants are seen trailing. Use 2-5 lines per 100 square feet. Bait is most effective when placed as close as possible to ant nests. Bait may also be applied in tamper-resistant stations. Apply 1-2 lines per station (as above) and use 1-3 stations per 100 sq. ft. Inspect bait weekly and reapply when bait is almost entirely consumed.

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Never apply bait directly to a surface where food is stored, prepared or served. Follow above directions for crack and crevice placement.

Outdoor Use

Roaches, Ants and Silverfish: Apply bait so it is out of reach of children and pets. Apply bait only in cracks, crevices, voids, holes, other inaccessible areas, and other non-exposed surfaces. Apply bait in concealed areas on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics, tree holes and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where insects may enter buildings and treat those areas. These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Bait may also be applied in tamper-resistant bait stations. Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access.

Container Handling and Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** for disposal instructions.

Warranty Limitations and Disclaimer

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. To the extent consistent with applicable law, manufacturer shall not be liable for any consequential damages based on the use of the product.

Manufactured by:  **Rockwell Labs Ltd**
creating the future of pest control

1257 Bedford Ave • North Kansas City, MO 64116

www.rockwelllabs.com

V.0616-122215

300 g syringe - 04076A