

SUSPEND® SC INSECTICIDE

Version 3.0 / USA Revision Date: 07/01/2014 102000003167 Print Date: 05/04/2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Trade name SUSPEND® SC INSECTICIDE

Product code (UVP) 05946468

SDS Number 102000003167

EPA Registration No. 432-763

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

United States

1-800-334-7577

Emergency Telephone

Number (24hr/ 7 days)

Product Information

Telephone Number

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Concentration % by weight |
|----------------------------------|-------------|---------------------------|
| Deltamethrin | 52918-63-5 | 4.75 |
| 1,2-Propanediol | 57-55-6 | 15.20 |
| Nonviohenol ethoxylate, branched | 127087-87-0 | 2.85 |



SUSPEND® SC INSECTICIDE

 Version 3.0 / USA
 Revision Date: 07/01/2014

 102000003167
 Print Date: 05/04/2016

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call

a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a physician

or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Carbon dioxide (CO2), Dry chemical, Foam, Water

Unsuitable None known.

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Evacuate personnel to safe areas. Keep out of smoke. Fight fire from

upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water

courses.



SUSPEND® SC INSECTICIDE

Version 3.0 / USA Revision Date: 07/01/2014 102000003167 Print Date: 05/04/2016

Flash point no data available

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Decontaminate tools and equipment following cleanup. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional adviceUse personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Handle and open container

in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Smoking, eating and drinking should be prohibited in the application

area. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities



SUSPEND® SC INSECTICIDE

Version 3.0 / USA 102000003167

Revision Date: 07/01/2014 Print Date: 05/04/2016

Requirements for storage areas and containers

Store in original container. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|-----------------------------------|-------------|---|---------|----------|
| Deltamethrin | 52918-63-5 | 0.02 mg/m3 (TWA) | | OES BCS* |
| Silicon dioxide | 7631-86-9 | 6 mg/m3 (REL) | 2010 | NIOSH |
| Silicon dioxide (Particulate.) | 7631-86-9 | 27ug/m3 (ST ESL) | 02 2013 | TX ESL |
| Silicon dioxide (Particulate.) | 7631-86-9 | 2ug/m3 (AN ESL) | 02 2013 | TX ESL |
| Silicon dioxide | 7631-86-9 | 0.8 mg/m3 (TWA) | 2000 | Z3 |
| Silicon dioxide | 7631-86-9 | 20millions of particles per cubic foot of air (TWA) | 2000 | Z3 |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 1000ug/m3 (ST ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 50ppb (AN ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 500ppb (ST ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 100ug/m3 (AN ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Aerosol.) | 57-55-6 | 10 mg/m3 (TWA) | 2010 | WEEL |
| Nonylphenol ethoxylate, branched | 127087-87-0 | 600ug/m3 (ST ESL) | 10 2003 | TX ESL |
| Nonylphenol ethoxylate, branched | 127087-87-0 | 60ug/m3 (AN ESL) | 10 2003 | TX ESL |

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.



SUSPEND® SC INSECTICIDE

Version 3.0 / USA Revision Date: 07/01/2014 102000003167 Print Date: 05/04/2016

Hand protection Chemical-resistant gloves made of waterproof material such as

neoprene, butyl rubber, barrier laminate or nitrile rubber.

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Eye wash facility and safety shower should be available.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

Follow all label instructions.

Train employees in safe use of the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white

Physical State liquid suspension

Odor none

Odour Threshold no data available

pH <= 7.0 at 100 %

Vapor Pressure no data available

Vapor Density (Air = 1) no data available

Density ca. 1.05 g/cm³ at 20 °C

Evapouration rateno data availableBoiling Pointno data availableMelting / Freezing Pointno data available

Water solubility immiscible

Minimum Ignition Energy not applicable

Decomposition no data available temperature

Partition coefficient: n-

octanol/water

no data available

Viscosity 1,300 - 1,800 cps

Flash point no data available

Autoignition temperature no data available
Lower explosion limit no data available
Upper explosion limit no data available
Explosivity not applicable

Bayer Environmental Science

SAFETY DATA SHEET



SUSPEND® SC INSECTICIDE

 Version 3.0 / USA
 Revision Date: 07/01/2014

 102000003167
 Print Date: 05/04/2016

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition no data available

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid freezing

Incompatible materials Strong oxidizing agents, Strong reducing agents

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Skin contact, Eye contact, Ingestion

Immediate Effects

Skin Contact with product may result in transient tingling and reddening of

the skin.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 15,000 mg/kg

Acute inhalation toxicity LC50 (rat) > 1.02 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

LC50 (rat) > 4.08 mg/l Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (rabbit) > 10,000 mg/kg

Skin irritation Slight irritation (rabbit)

Eye irritationMinimally irritating. (rabbit)SensitisationNon-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The



SUSPEND® SC INSECTICIDE

 Version 3.0 / USA
 Revision Date: 07/01/2014

 102000003167
 Print Date: 05/04/2016

toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

Assessment Mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

Deltamethrin 52918-63-5 Overall evaluation: 3

OSHA

None.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.00026 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.00017 mg/l

Exposure time: 96 h

Toxicity to aquatic invertebrates

LC50 (Eastern Oyster) 0.0082 mg/l

Exposure time: 96 h

LC50 (Mysidopsis bahia (mysid shrimp)) 0.000001 mg/l

Exposure time: 96 h

Biodegradability Deltamethrin: ; not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000



SUSPEND® SC INSECTICIDE

Version 3.0 / USA Revision Date: 07/01/2014 102000003167 Print Date: 05/04/2016

Bioaccumulation Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 189 - 3,930

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400; Does not

bioaccumulate.

Mobility in soil Deltamethrin: Immobile in soil

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA

Regional Office for guidance.

Triple rinse containers. Contaminated packaging

Add washings to sprayer at time of filling.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082 Class 9 Packaging group Ш Marine pollutant YES



SUSPEND® SC INSECTICIDE

Version 3.0 / USA
102000003167

Revision Date: 07/01/2014
Print Date: 05/04/2016

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DELTAMETHRIN SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DELTAMETHRIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-763

US Federal Regulations

TSCA list

1,2-Propanediol 57-55-6 Nonylphenol ethoxylate, branched 127087-87-0

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN

Canadian Regulations

Canadian Domestic Substance List

Nonylphenol ethoxylate, branched 127087-87-0

Environmental CERCLA



SUSPEND® SC INSECTICIDE

Version 3.0 / USA Revision Date: 07/01/2014 102000003167 Print Date: 05/04/2016

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Deltamethrin 52918-63-5

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if inhaled.

Do not breathe vapours or spray mist.

Contact with product may result in transient tingling and reddening

of the skin.

Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

(2001111010:1200)

Revision Date: 07/01/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.